

## Vitamin D: pharmacology and clinical challenges in oral health care

Item Type	Journal article
Authors	Antoun Reyad, Ayman;Girgis, Eriny
Citation	Girgis, E. and Antoun Reyad, Ayman (2019) Vitamin D: pharmacology and clinical challenges in oral health care, Journal of the International Academy of Periodontology, 21(3), pp. 118-124.
Publisher	FDI World Dental Press Ltd.
Journal	Journal of the International Academy of Periodontology
Download date	2025-05-16 13:54:36
License	<a href="https://creativecommons.org/licenses/by-nc-nd/4.0/">https://creativecommons.org/licenses/by-nc-nd/4.0/</a>
Link to Item	<a href="http://hdl.handle.net/2436/622426">http://hdl.handle.net/2436/622426</a>

# Vitamin D: Pharmacology and Clinical Challenges in Oral Health Care

Eriny Girgis<sup>1</sup> and Ayman Antoun Reyad<sup>2</sup>

<sup>1</sup> Dental officer, Community Dental Service, City of Coventry Health Centre, Coventry and Warwickshire Partnership NHS trust, CV1 4FS

email: Eriny.Girgis@covwarkpt.nhs.uk

BDS, MFDS, MJDF

<sup>2</sup> Senior lecturer in Pharmacology, School of Pharmacy, University of Wolverhampton, WV1

1LY

email: a.antounreyad@wlv.ac.uk

PhD, PG certificate in Psychiatric Therapeutics, PG certificate in Learning and teaching in

Higher education

## **Abstract**

Vitamin D is a hormone, produced endogenously through cutaneous transformation of 7-dehydrocholesterol by UVB-irradiation with skeletal and non-skeletal functions and could be involved in oral health conditions especially periodontitis. Vitamin D main mechanism of action occurs through binding to its intracellular receptor. In this article, we aim to review the beneficial role of vitamin D in dentistry. Articles related to vitamin D and oral health were screened and reviewed with the main findings and clinical implications presented. Vitamin D deficiency prevalence is high especially among the elderly and is associated with oral health complications such as periodontitis with a possible role of vitamin D supplementation in oral health conditions' management. The review discusses the main findings as although the majority of the literature demonstrates vitamin D essential role, some research suggest excess vitamin D supplementation could lead to other health issues. Thus, further research is needed to define vitamin D target levels and establish effective strategies for managing patients suffering from oral health conditions especially periodontitis. Improving the knowledge of dental practitioners, periodontologists and pharmacists regarding vitamin D deficiency implications in oral health conditions could guide the management of oral conditions especially periodontitis.

Keywords: Vitamin D, Oral health care, Vitamin D receptor, Periodontitis, Oral health conditions

## Introduction

Vitamin D is a fat-soluble hormone with endocrine and autocrine functions (Razzaque, 2018) and could be obtained through absorption or ultraviolet irradiation (Powers and Gilcrest, 2012). Vitamin D is then activated through hydroxylation process in the liver and kidney to produce the active hormone  $1,25(\text{OH})_2\text{D}$  (Powers and Gilcrest, 2012). The active hormone acts as a signalling molecule and an essential factor of calcium and phosphorus homeostasis for bony tissue growth (Slebioda *et al.*, 2016).  $1,25(\text{OH})_2\text{D}$  is also involved in essential life processes such as proliferation, differentiation, apoptosis, immune and hormonal regulation (Radlovic *et al.*, 2012). Several factors could reduce vitamin D synthesis such as sun avoidance practices, sun protection creams and melanin in skin (Macdonald, 2013). These factors could increase the risk of vitamin D deficiency, a major global health issue affecting more than one billion person worldwide and leading to health conditions such as pre-eclampsia, childhood dental caries, periodontitis, cardiovascular and neurological disorders (Holick, 2017). As periodontitis is considered an inflammatory condition caused by the imbalance between the virulence factors produced by microorganisms and the inflammatory host response, appreciating the role of vitamins especially vitamin D in modulating the immune system is of primary importance. Other risk factors for periodontal disease progression include smoking, diabetes, obesity and steroids (Goyal *et al.*, 2017). In this review, we aim to review the current developments in our understanding of vitamin D pharmacology and how vitamin D deficiency could influence the pathogenesis of oral conditions such as periodontitis. Research articles were reviewed after a comprehensive search using the Medline (PubMed) for the following

MESH terms “dental and vitamin D”, “Oral health and vitamin D” and “Oral disorders and vitamin D”.

### **Vitamin D Pharmacology**

Vitamin D main target is the ubiquitously expressed nuclear vitamin D receptor (VDR) (Radlovic *et al.*, 2012), which is a regulator of insulin, aromatase and osteocalcin (Boisen *et al.*, 2017). 1,25(OH)<sub>2</sub>D affect receptor activator of nuclear factor κB ligand (RANKL) expression (Nakamichi and Takahashi, 2015; Takahashi, 2013) and regulate fibroblast growth factor 23 (FGF23) - a bone-derived hormone (Bhattacharyya *et al.*, 2012; Nakamura *et al.*, 2009). RANKL is one of two cytokines expressed by osteoblasts and involved in bone marrow macrophages differentiation into osteoclasts (Mizoguchi, 2011) alongside constitutively macrophage-colony stimulating factor (M-CSF) (Nakamichi *et al.*, 2018). Osteoblasts acts as regulatory cells to control calcium homeostasis, where rapid non-genomic actions include activation of voltage-sensitive Ca<sup>2+</sup> channels, elevation of intracellular Ca<sup>2+</sup> concentrations, induction of phospholipid turnover and activation of second messenger systems. Longer term actions of vitamin D binding to its nuclear receptors include target genes transcription such as the genes coding bone matrix proteins (Farach-Carson and Ridall, 1998). Vitamin D also interacts with calcium-binding proteins such as calbindin and osteocalcin with a role in dentinogenesis and amelogenesis (Berdal *et al.*, 1995; Berdal *et al.*, 1989).

This interaction alters the renal calcium and phosphate reabsorption (Razzaque, 2012) with dental matrix protein-1, an osteocyte product, participating in FGF23-mediated regulation of phosphorus homeostasis (Civitelli and Ziambaras, 2011). Vitamin D possesses other non-calcaemic actions such as anti-proliferative, pro-differentiative and immunomodulatory activities (Nagpal *et al.*, 2001). VDR was

discovered in several immunological cells such as T-, B- lymphocytes, macrophages, mast cells and regulatory T cells (Tregs); while vitamin D acts as a regulator of immune function by suppressing inflammatory cytokines such as tumour necrosis factors (TNF) and interferon gamma and stimulating anti-inflammatory cytokines generation (Figure 1) (Toniato *et al.*, 2015). VDR genetic polymorphisms plays an important role in the pathogenesis of several conditions such as external apical root resorption and permanent loss of dental root structure (Nieto-Nieto *et al.*, 2017) and there is association between VDR polymorphisms and fluorosis susceptibility pattern (Pramanik and Saha, 2017). VDR polymorphisms were also involved in periodontal disease through changes in bone mineral density or immunomodulatory effects (Martelli *et al.*, 2014; Amano *et al.*, 2009). Another study highlighted the association of VDR polymorphisms with aggressive and chronic periodontitis in a Taiwanese population (Ho *et al.*, 2017), while a recent meta-analysis in Chinese population showed that VDR TaqI polymorphism was not associated with periodontitis risk, raising the need for further research in this field (Ji *et al.*, 2016).

### **Deficiency of vitamin D and Oral disorders:**

Teeth are mineralized organs composed of three hard tissues: enamel, dentin and cementum, while supported by the surrounding alveolar bone. Various oral diseases such as metabolic bone diseases - disorders of bone remodelling - often first diagnosed from abnormalities in the oral cavity or on dental radiographs (Zachariassen, 1990) could result from inadequate vitamin D level (Uwitonze *et al.*, 2018). Low bone-mineral density could occur in alveolar bone and people with osteoporosis could suffer from increased risk of tooth loss (Stewart and Hanning, 2012), while rickets' sufferers possessed defective dentition (Foster *et al.*, 2014), poor development and calcification of the alveolus leading to loss of lamina dura and

periodontal ligament with defects in the dentinoenamel junction and cementum (Cohen and Becker, 1976). X-linked hypophosphataemic (XLH) rickets sufferers have decreased renal phosphate reabsorption, hypophosphatemia and inappropriate vitamin D levels with abnormally high pulp volume/tooth volume ratio, thin enamel and spontaneous dental abscesses without any signs of dental caries or trauma (Sabandal *et al.*, 2015; Kienitz *et al.*, 2011; Seow, 2003). Patients with rickets-like genetic diseases such as pycnodysostosis also show obtuse mandibular angle and dental abnormalities (Ma, 2013).

Osteoporosis is a common disease in middle aged post-menopausal women with bone weakness affecting the ridges holding dentures leading to need of new dentures and continued teeth loss (Bandela *et al.*, 2015; Faine, 1995). Several studies confirmed the correlation between osteoporosis and alveolar bone loss in periodontal disease (Loza *et al.*, 1996). At the pharmacological concentration, vitamin D could be used in osteoporosis management (Nakamichi *et al.*, 2018) and supporting tooth retention (Krall, 2006).

Other clinical conditions associated with vitamin D deficiency such as hypophosphatasia are characterized by defective mineralization of bone and/or teeth with premature exfoliation of primary teeth, dry mouth, multiple dental caries and abnormal morphology (Geng *et al.*, 2018). Calcium and vitamin D supplements should be also considered in Rothmund-Thomson syndrome, characterized by skeletal and dental abnormalities (Wang and Plon, 2019). Vitamin D could reduce orthodontic treatment time with advantages including reduction in predisposition to caries, gingival recession and root resorption (Nimeri *et al.*, 2013).

Medication-related osteonecrosis of the jaw (MRONJ) is a severe adverse drug reaction leading to the progressive bone destruction in the maxillofacial region,

caused by antiresorptive medications such as bisphosphonates (Rosella *et al.*, 2016). Osteoclast inhibitors such as denosumab; used in patients with bone metastases; could lead to jaw osteonecrosis (1.8%) and hypocalcaemia (9.6%); where calcium and vitamin D supplementation with good oral hygiene and regular dental reviews are required (Domschke and Schuetz, 2014; Vescovi and Nammour, 2010; Pittman *et al.*, 2017) (Table 1).

### **Vitamin D and periodontitis/ peri-implant diseases**

Increasing evidence connect low vitamin D serum levels and gingival inflammation (Stein *et al.*, 2014), while severe periodontal disease could occur with low dietary calcium and vitamin D (Genco and Borgnakke, 2013). Scientific results have shown that vitamin D supplementation could reduce rate of alveolar bone loss (Intini *et al.*, 2014). On the other hand, other studies highlighted the association between elevated plasma vitamin D levels with aggressive periodontitis (Liu *et al.*, 2009), while initial periodontal therapy reduced systemic vitamin D significantly (Liu *et al.*, 2010) (Table 1). The same research group demonstrated expression of 1 $\alpha$ -hydroxylase in human gingival fibroblasts and periodontal ligament cells tissue cultures (Liu *et al.*, 2012) and that vitamin D induced cationic antimicrobial protein expression, an effect reduced by blocking VDR (Gao *et al.*, 2018). Other researchers showed vitamin D role in stimulating the antibacterial defence of gingival cells (McMahon *et al.*, 2011), further supporting vitamin D actions on the immune system in periodontal tissues.

Osseointegration-based dental implants success depends on the stable integration and maintenance of implant fixtures in alveolar bone with complex molecular pathways involving vitamin D (Nishimura, 2013) and a prominent role of osteocytes and immune cells in dental implant osseointegration and maintenance (Insua *et al.*,



2017). Vitamin D deficiency slows implant osseointegration and increases the risk of graft infection (Choukroun *et al.*, 2014). Thus it is recommended that following implant fixation, medications to enhance osseointegration such as vitamin D should be given (Apostu *et al.*, 2017) (Table 1).

### **Vitamin D and paediatric oral health**

Clinical trials identified vitamin D as a promising caries-preventive agent (Hujoel, 2013) with clear association between maternal vitamin D concentrations at term and paediatric dental caries (Theodoratou *et al.*, 2014) as low prenatal or maternal vitamin D levels could lead to enamel defects (Berdal *et al.*, 2000) and detrimental effect on bone and teeth development, while vitamin D supplementation during pregnancy was associated with reduction in the risk of infancy dental caries (Karras *et al.*, 2016) (Table 1).

### **Discussion**

Vitamin D is produced photochemically from its provitamin, 7-dehydrocholesterol (Davies, 1989) with an important role in regulating calcium and maintaining healthy teeth (Rowe, 2004). Vitamin D influences phosphate co-transporters in the intestine and kidney, thus affecting phosphate balance (Ohnishi and Razzaque, 2013).

Vitamin D is metabolised by a hepatic 25-hydroxylase into 25-hydroxyvitamin D and by a renal 1alpha-hydroxylase into 1,25(OH)<sub>2</sub>D (Zittermann, 2003). Vitamin D has immunomodulatory and anti-inflammatory properties (Jeffery *et al.*, 2016), supporting its beneficial oral health effects through direct effect on bone metabolism (Stein *et al.*, 2014) as calbindins and alkaline phosphatase handling proteins - affecting calcium and phosphate balance- are present in dental mineral tissues (Berdal *et al.*, 2000).

The prevalence of vitamin D deficiency is increasing worldwide (Wimalawansa *et al.*, 2018) and associated with oral health disorders such as dental caries and periodontal disease (Uwitonze *et al.*, 2018). The most advantageous vitamin D serum levels for dental health are 75 nmol/l (30 ng/ml) with 800 IU (20 microg) of cholecalciferol administration per day needed (Bischoff-Ferrari, 2014) and even higher oral doses (1,800 to 4,000 IU) could be used (Bischoff-Ferrari *et al.*, 2010). Periodontitis is characterized by bone resorption, local inflammatory bone loss and tooth loss with osteoporosis as a risk factor; some evidence describes vitamin D supplementation as a concomitant management (Wang and McCauley, 2016), while other evidence highlighted an association between elevated plasma vitamin D and aggressive periodontitis with a role of vitamin D in stimulating the antibacterial defence of gingival cells (McMahon *et al.*, 2011; Liu *et al.*, 2012).

Residents of long-term care facilities are considered at high risk for oral health conditions as they often lack basic dental care with unnecessary tooth loss, periodontal disease (Wick, 2010) and prevalence of vitamin D insufficiency (Nakamura, 2006) and individuals with neurodevelopmental disorders, intellectual disabilities and eating disorders generally have low vitamin D and adequate calcium/vitamin D supplementation is recommended (Drabkin *et al.*, 2017) in those risk groups with careful medication monitoring to prevent tooth loss, combat caries and decrease periodontal disease (Grant *et al.*, 2015). Clinicians have an important role as many inherited disorders have oral manifestations detected by dental radiographs (Witkop, 1976) to optimise vitamin D levels (Leizaola-Cardesa *et al.*, 2016) especially in periodontitis (Palacios *et al.*, 2009). Clinicians should be cautious as prolonged/ disproportionate consumption of vitamin D may lead to intoxication, even without clear signs of hypervitaminosis D (Razzaque, 2018; Ballmer, 1996).

Although, oral vitamin D intakes up to 250 µg/day have not been associated with harm (Zittermann *et al.*, 2013), clinicians should avoid recommending high serum concentrations (Sanders *et al.*, 2013) especially that the routine use of intermittent vitamin D high-dose was associated with increased risk of falls or fractures (Choi *et al.*, 2017) and tissue/ organ damages (Razzaque, 2018).

No funding sources were provided and No conflicts of interests exist

## References

Amano Y, Komiyama K and Makishima M. Vitamin D and periodontal disease.

*Journal of oral science* 2009; **51**: 11-20.

Apostu D, Lucaciu O, Lucaciu G D, Crisan B, Crisan L, Baciut M, Onisor F, Baciut G, Campian R S and Bran S. Systemic drugs that influence titanium implant

osseointegration. *Drug metabolism reviews* 2017; **49**: 92-104.

Ballmer P E. Vitamins and metals: possible hazards for humans. *Schweizerische medizinische Wochenschrift* 1996; **126**: 607-611.

Bandela V, Munagapati B, Karnati R K, Venkata G R and Nidudhur S R.

Osteoporosis: Its Prosthodontic Considerations - A Review. *Journal of clinical and diagnostic research : JCDR* 2015; **9**: ZE01-4.

Berdal A, Cuisinier-Gleizes P, Balmain N, Thomasset M, Brehier A, Deffez J P and Mathieu H. The systemic environment and dental development. From the clinical to the molecular approach. *Revue de stomatologie et de chirurgie maxillo-faciale* 1989; **90**: 111-114.

Berdal A, Lezot F, Nefussi J R and Sautier J M. Mineralized dental tissues: a unique example of skeletal biodiversity derived from cephalic neural crest. *Morphologie : bulletin de l'Association des anatomistes* 2000; **84**: 5-10.

Berdal A, Papagerakis P, Hotton D, Bailleul-Forestier I and Davideau J L. Ameloblasts and odontoblasts, target-cells for 1,25-dihydroxyvitamin D3: a review. *The International journal of developmental biology* 1995; **39**: 257-262.

Bhattacharyya N, Chong W H, Gafni R I and Collins M T. Fibroblast growth factor 23: state of the field and future directions. *Trends in endocrinology and metabolism: TEM* 2012; **23**: 610-618.

Bischoff-Ferrari H A. Optimal serum 25-hydroxyvitamin D levels for multiple health outcomes. *Advances in Experimental Medicine and Biology* 2014; **810**: 500-525.

Bischoff-Ferrari H A, Shao A, Dawson-Hughes B, Hathcock J, Giovannucci E and Willett W C. Benefit-risk assessment of vitamin D supplementation. *Osteoporosis international : a journal established as result of cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA* 2010; **21**: 1121-1132.

Boisen I M, Bollehuus Hansen L, Mortensen L J, Lanske B, Juul A and Blomberg Jensen M. Possible influence of vitamin D on male reproduction. *The Journal of steroid biochemistry and molecular biology* 2017; **173**: 215-222.

Choi H S, Min Y K, Byun D W, Hahn M H, Kim K M, Kim B J and Oh K W. Korean Society for Bone and Mineral Research Task Force Report: Perspectives on

Intermittent High-dose Vitamin D Supplementation. *Journal of bone metabolism* 2017; **24**: 141-145.

Choukroun J, Khoury G, Khoury F, Russe P, Testori T, Komiyama Y, Sammartino G, Palacci P, Tunali M and Choukroun E. Two neglected biologic risk factors in bone grafting and implantology: high low-density lipoprotein cholesterol and low serum vitamin D. *The Journal of oral implantology* 2014; **40**: 110-114.

Civitelli R and Ziambaras K. Calcium and phosphate homeostasis: concerted interplay of new regulators. *Journal of endocrinological investigation* 2011; **34**: 3-7.

Cohen S and Becker G L. Origin, diagnosis, and treatment of the dental manifestations of vitamin D-resistant rickets: review of the literature and report of case. *Journal of the American Dental Association (1939)* 1976; **92**: 120-129.

Davies M. High-dose vitamin D therapy: indications, benefits and hazards. *International journal for vitamin and nutrition research. Supplement = Internationale Zeitschrift fur Vitamin- und Ernährungsforschung. Supplement* 1989; **30**: 81-86.

Domschke C and Schuetz F. Side effects of bone-targeted therapies in advanced breast cancer. *Breast care (Basel, Switzerland)* 2014; **9**: 332-336.

Drabkin A, Rothman M S, Wassenaar E, Mascolo M and Mehler P S. Assessment and clinical management of bone disease in adults with eating disorders: a review. *Journal of eating disorders* 2017; **5**: 42-017-0172-0. eCollection 2017.

Faine M P. Dietary factors related to preservation of oral and skeletal bone mass in women. *The Journal of prosthetic dentistry* 1995; **73**: 65-72.

Farach-Carson M C and Ridall A L. Dual 1,25-dihydroxyvitamin D3 signal response pathways in osteoblasts: cross-talk between genomic and membrane-initiated pathways. *American Journal of Kidney Diseases : The Official Journal of the National Kidney Foundation* 1998; **31**: 729-742.

Foster B L, Nociti F H, Jr and Somerman M J. The rachitic tooth. *Endocrine reviews* 2014; **35**: 1-34.

Gao Z, Liu K and Meng H. Preliminary investigation of the vitamin D pathway in periodontal connective tissue cells. *Journal of periodontology* 2018; **89**: 294-302.

Genco R J and Borgnakke W S. Risk factors for periodontal disease. *Periodontology* 2000 2013; **62**: 59-94.

Geng Y, Zhao Y and Zhang Z. Tubulointerstitial nephritis-induced hypophosphatemic osteomalacia in Sjogren's syndrome: a case report and review of the literature. *Clinical rheumatology* 2018; **37**: 257-263.

Goyal L, Goyal T and Gupta N D. Osteoporosis and Periodontitis in Postmenopausal Women: A Systematic Review. *Journal of mid-life health* 2017; **8**: 151-158.

Grant W B, Wimalawansa S J, Holick M F, Cannell J J, Pludowski P, Lappe J M, Pittaway M and May P. Emphasizing the health benefits of vitamin D for those with neurodevelopmental disorders and intellectual disabilities. *Nutrients* 2015; **7**: 1538-1564.

Ho Y P, Lin Y C, Yang Y H, Chou Y H, Ho K Y, Wu Y M and Tsai C C. Association of vitamin D receptor gene polymorphisms and periodontitis in a Taiwanese Han population. *Journal of dental sciences* 2017; **12**: 360-367.

Holick M F. The vitamin D deficiency pandemic: Approaches for diagnosis, treatment and prevention. *Reviews in endocrine & metabolic disorders* 2017; **18**: 153-165.

Hujoel P P. Vitamin D and dental caries in controlled clinical trials: systematic review and meta-analysis. *Nutrition reviews* 2013; **71**: 88-97.

Insua A, Monje A, Wang H L and Miron R J. Basis of bone metabolism around dental implants during osseointegration and peri-implant bone loss. *Journal of biomedical materials research.Part A* 2017; **105**: 2075-2089.

Intini G, Katsuragi Y, Kirkwood K L and Yang S. Alveolar bone loss: mechanisms, potential therapeutic targets, and interventions. *Advances in Dental Research* 2014; **26**: 38-46.

Jeffery L E, Raza K and Hewison M. Vitamin D in rheumatoid arthritis-towards clinical application. *Nature reviews.Rheumatology* 2016; **12**: 201-210.

Ji X W, Wang Y, Cao C and Zhong L J. Assessment of the link between Vitamin D receptor TaqI gene polymorphism and periodontitis: a meta-analysis in a Chinese population. *Genetics and molecular research : GMR* 2016; **15**: 10.4238/gmr.15048883.

Karras S N, Fakhoury H, Muscogiuri G, Grant W B, van den Ouweland J M, Colao A M and Kotsa K. Maternal vitamin D levels during pregnancy and neonatal health: evidence to date and clinical implications. *Therapeutic advances in musculoskeletal disease* 2016; **8**: 124-135.

Kienitz T, Ventz M, Kaminsky E and Quinkler M. Novel PHEX nonsense mutation in a patient with X-linked hypophosphatemic rickets and review of current therapeutic

regimens. *Experimental and clinical endocrinology & diabetes : official journal, German Society of Endocrinology [and] German Diabetes Association* 2011; **119**: 431-435.

Krall E A. Osteoporosis and the risk of tooth loss. *Clinical calcium* 2006; **16**: 287-290.

Leizaola-Cardesa I O, Aguilar-Salvatierra A, Gonzalez-Jaranay M, Moreu G, Sala-Romero M J and Gomez-Moreno G. Bisphosphonates, vitamin D, parathyroid hormone, and osteonecrosis of the jaw. Could there be a missing link? *Medicina oral, patologia oral y cirugia bucal* 2016; **21**: e236-40.

Liu K, Meng H and Hou J. Characterization of the autocrine/paracrine function of vitamin D in human gingival fibroblasts and periodontal ligament cells. *PloS one* 2012; **7**: e39878.

Liu K, Meng H, Lu R, Xu L, Zhang L, Chen Z, Shi D, Feng X and Tang X. Initial periodontal therapy reduced systemic and local 25-hydroxy vitamin D(3) and interleukin-1beta in patients with aggressive periodontitis. *Journal of periodontology* 2010; **81**: 260-266.

Liu K, Meng H, Tang X, Xu L, Zhang L, Chen Z, Shi D, Feng X and Lu R. Elevated plasma calcifediol is associated with aggressive periodontitis. *Journal of periodontology* 2009; **80**: 1114-1120.

Loza J C, Carpio L C and Dziak R. Osteoporosis and its relationship to oral bone loss. *Current opinion in periodontology* 1996; **3**: 27-33.



Ma H W. Rickets-like genetic diseases. *Zhongguo dang dai er ke za zhi = Chinese journal of contemporary pediatrics* 2013; **15**: 923-927.

Macdonald H M. Contributions of sunlight and diet to vitamin D status. *Calcified tissue international* 2013; **92**: 163-176.

Martelli F S, Martelli M, Rosati C and Fanti E. Vitamin D: relevance in dental practice. *Clinical cases in mineral and bone metabolism : the official journal of the Italian Society of Osteoporosis, Mineral Metabolism, and Skeletal Diseases* 2014; **11**: 15-19.

McMahon L, Schwartz K, Yilmaz O, Brown E, Ryan L K and Diamond G. Vitamin D-mediated induction of innate immunity in gingival epithelial cells. *Infection and immunity* 2011; **79**: 2250-2256.

Mizoguchi T. RANKL signaling and bone diseases. Quiescent osteoclast precursors and RANKL signaling. *Clinical calcium* 2011; **21**: 1187-1192.

Nagpal S, Lu J and Boehm M F. Vitamin D analogs: mechanism of action and therapeutic applications. *Current medicinal chemistry* 2001; **8**: 1661-1679.

Nakamichi Y and Takahashi N. Current Topics on Vitamin D. The role of active forms of vitamin D in regulation of bone remodeling. *Clinical calcium* 2015; **25**: 395-402.

Nakamichi Y, Udagawa N, Suda T and Takahashi N. Mechanisms involved in bone resorption regulated by vitamin D. *The Journal of steroid biochemistry and molecular biology* 2018; **177**: 70-76.

Nakamura K. Vitamin D insufficiency in Japanese adults. *Clinical calcium* 2006; **16**: 1096-1101.

Nakamura M, Nakamichi Y, Nakamura H and Udagawa N. Osteoclastogenesis and bone resorption. *Nihon rinsho. Japanese journal of clinical medicine* 2009; **67**: 889-896.

Nieto-Nieto N, Solano J E and Yanez-Vico R. External apical root resorption concurrent with orthodontic forces: the genetic influence. *Acta Odontologica Scandinavica* 2017; **75**: 280-287.

Nimeri G, Kau C H, Abou-Kheir N S and Corona R. Acceleration of tooth movement during orthodontic treatment--a frontier in orthodontics. *Progress in orthodontics* 2013; **14**: 42-1042-14-42.

Nishimura I. Genetic networks in osseointegration. *Journal of dental research* 2013; **92**: 109S-118S.

Ohnishi M and Razzaque M S. Osteo-renal cross-talk and phosphate metabolism by the FGF23-Klotho system. *Contributions to nephrology* 2013; **180**: 1-13.

Palacios C, Joshipura K and Willett W. Nutrition and health: guidelines for dental practitioners. *Oral diseases* 2009; **15**: 369-381.

Pittman K, Antill Y C, Goldrick A, Goh J and de Boer R H. Denosumab: Prevention and management of hypocalcemia, osteonecrosis of the jaw and atypical fractures. *Asia-Pacific journal of clinical oncology* 2017; **13**: 266-276.

Powers J G and Gilchrest B A. What you and your patients need to know about vitamin D. *Seminars in cutaneous medicine and surgery* 2012; **31**: 2-10.

Pramanik S and Saha D. The genetic influence in fluorosis. *Environmental toxicology and pharmacology* 2017; **56**: 157-162.

Radlovic N, Mladenovic M, Simic D and Radlovic P. Vitamin D in the light of current knowledge. *Srpski arhiv za celokupno lekarstvo* 2012; **140**: 110-114.

Razzaque M S. Can adverse effects of excessive vitamin D supplementation occur without developing hypervitaminosis D? *The Journal of steroid biochemistry and molecular biology* 2018; **180**: 81-86.

Razzaque M S. FGF23, klotho and vitamin D interactions: What have we learned from in vivo mouse genetics studies? *Advances in Experimental Medicine and Biology* 2012; **728**: 84-91.

Rosella D, Papi P, Giardino R, Cicalini E, Piccoli L and Pompa G. Medication-related osteonecrosis of the jaw: Clinical and practical guidelines. *Journal of International Society of Preventive & Community Dentistry* 2016; **6**: 97-104.

Rowe P S. The wrickkened pathways of FGF23, MEPE and PHEX. *Critical reviews in oral biology and medicine : an official publication of the American Association of Oral Biologists* 2004; **15**: 264-281.

Sabandal M M, Robotta P, Burklein S and Schafer E. Review of the dental implications of X-linked hypophosphataemic rickets (XLHR). *Clinical oral investigations* 2015; **19**: 759-768.

Sanders K M, Nicholson G C and Ebeling P R. Is high dose vitamin D harmful?

*Calcified tissue international* 2013; **92**: 191-206.

Seow W K. Diagnosis and management of unusual dental abscesses in children.

*Australian Dental Journal* 2003; **48**: 156-168.

Slebioda Z, Szponar E and Dorocka-Bobkowska B. Vitamin D and Its Relevance in the Etiopathogenesis of Oral Cavity Diseases. *Archivum Immunologiae et Therapiae*

*Experimentalis* 2016; **64**: 385-397.

Stein S H, Livada R and Tipton D A. Re-evaluating the role of vitamin D in the periodontium. *Journal of periodontal research* 2014; **49**: 545-553.

Stewart S and Hanning R. Building osteoporosis prevention into dental practice.

*Journal (Canadian Dental Association)* 2012; **78**: c29.

Takahashi N. Mechanism of inhibitory action of eldecalcitol, an active vitamin D analog, on bone resorption in vivo. *The Journal of steroid biochemistry and*

*molecular biology* 2013; **136**: 171-174.

Theodoratou E, Tzoulaki I, Zgaga L and Ioannidis J P. Vitamin D and multiple health outcomes: umbrella review of systematic reviews and meta-analyses of

observational studies and randomised trials. *BMJ (Clinical research ed.)* 2014; **348**: g2035.

Toniato E, Spinass E, Saggini A, Kritas S K, Caraffa A, Antinolfi P, Saggini R, Pandolfi F and Conti P. Immunomodulatory Effects of Vitamin D on Skin Inflammation.

*Journal of Biological Regulators and Homeostatic Agents* 2015; **29**: 563-567.

Uwitonze A M, Murererehe J, Ineza M C, Harelimana E I, Nsabimana U, Uwambaye P, Gatarayiha A, Haq A and Razzaque M S. Effects of vitamin D status on oral health. *The Journal of steroid biochemistry and molecular biology* 2018; **175**: 190-194.

Vescovi P and Nammour S. Bisphosphonate-Related Osteonecrosis of the Jaw (BRONJ) therapy. A critical review. *Minerva stomatologica* 2010; **59**: 181-203, 204-13.

Wang L and Plon S. Rothmund-Thomson Syndrome. *GeneReviews* 2019-last update. Available: <https://www.ncbi.nlm.nih.gov/books/NBK1237/>.

Wang C J and McCauley L K. Osteoporosis and Periodontitis. *Current osteoporosis reports* 2016; **14**: 284-291.

Wick J Y. Oral health in the long-term care facility. *The Consultant pharmacist : the journal of the American Society of Consultant Pharmacists* 2010; **25**: 214-21, 223-4.

Wimalawansa S J, Razzaque D M S and Al-Daghri N M. Calcium and Vitamin D in Human Health: Hype or Real? *The Journal of steroid biochemistry and molecular biology* 2018; **180**: 4-14.


Witkop C J. Clinical aspects of dental anomalies. *International dental journal* 1976; **26**: 378-390.

Zachariasen R. Oral manifestations of metabolic bone disease: vitamin D and osteoporosis. *Compendium (Newtown, Pa.)* 1990; **11**: 612, 614-8.

Zittermann A. Vitamin D in preventive medicine: are we ignoring the evidence? *The British journal of nutrition* 2003; **89**: 552-572.

Zittermann A, Prokop S, Gummert J F and Borgermann J. Safety issues of vitamin D supplementation. *Anti-cancer agents in medicinal chemistry* 2013; **13**: 4-10.

**Figure 1: Pharmacology of Vitamin D**



Vitamin D major mechanisms of action through its interaction with VDR. This interaction affects calcium/phosphates absorption, bone marrow differentiation to osteoclasts, phosphate secretion, cytokines production and amelogenesis/dentinogenesis through cellular signalling molecules such as RANKL and FGF 23.

**Table 1: Vitamin D and Oral Health Care**

Condition	Summary of findings regarding vitamin D (as per current clinical research)
Defective dentition/metabolic bone diseases	Possible role for vitamin D supplementation in management of these conditions.
Osteoporosis	Vitamin D supplementation is considered as a recommended management.
Medication-related osteonecrosis of the jaw	Vitamin D supplementation is recommended, further clinical studies are needed.
Periodontitis	Low calcium and vitamin D lead to periodontal disease, however, some studies highlighted association of elevated vitamin D levels with aggressive periodontitis - further studies needed.
Dental implant success	Vitamin D deficiency slows implant osteointegration and increase risk of graft rejection - medications to enhance osseointegration such as vitamin D should be given following implant fixation.
Paediatric caries	Vitamin D is considered a promising caries preventive agent.